
3 R Swiss 3R Competence C Centre



Non-Aversive Handling Methods in Switzerland


Results and analysis of a survey in fall 2020







Respondent Demographics








Demographics

Geography

Between **August and October 2020**, the Swiss 3RCC, via its institutional node coordinators, sent out a survey to people in swiss animal facilities and scientists working with mice.

A total of **231 people** answered our survey from all across Switzerland. The **5-7 questions** were answered in a median completion time of under **4 minutes**.

Most answered the **English version** (148), with 23 answering in German and 60 in French.



Survey of Non-Aversive Handling Methods

Demographics

Roles and Experience

Young scientists, postdoctoral level or earlier, were the largest single group of respondents (27%).


The majority of respondents reported over 10 years of experience in working with animals, with 18% reporting over 20 years. A further 21% between 5 and 10 years.


Animal caretakers tended to have more experience working with animals than **technicians**.

Respondent Roles and Years of Experience with Animals



Survey Question: Are you aware of gentle handling techniques for mice (like cup or tunnel handling)?







Awareness


Experience

Most of the survey respondents were aware of non-aversive methods of handling mice (90%), including a majority that had actually used the methods (58%).


Years of experience working with animals were not a strong indicator of their awareness of non-aversive handling methods.

Some individuals with over 10 years of experience were **unaware** of alternatives.

Respondents' Awareness of Non-Aversive Methods



Awareness of non-aversive methods split by years of experience



Awareness


Role & Location

Animal caretakers tended to be more familiar than technicians with non-aversive methods and had used them more regularly.


Although the sample is limited, **all veterinarians** that responded were aware of non-aversive methods.


Although possibly due to some sampling bias, respondents working in the **French-speaking area** of Switzerland were generally more familiar than those from the German-speaking areas.


Awareness of non-aversive methods split by Role




Awareness of non-aversive methods split by Canton










Survey Question: Please indicate which of the following gentle hand-ling techniques you have used...







Techniques

Methods

135 of the 231 respondents had tried either **tunnel or cup handling** techniques as alternatives to tail handling. Many respondents had **tried both** (48).

About half of these respondents were using at least one of the two alternative techniques **regular-ly**. The other half had simply tried them at some point.

An array of **other techniqes** were also reported.

Tunnel and cup handling approaches





tunnel handling

107/135

cup handling

76/135

Other approaches indicated in the survey

combination of tail

by the neck

a little red house

tupperware box

towel

cardboard tube

lid of a butter tray gentle back grip


Techniques

Experience

Tunnel handling is the most popular alternative across the years of experience categories of our respondents.

More than twice as many respondents with **2-5 years of experience** had tried tunnel handling compared to cup handling.

Tunnel and cup handling methods split by years of experience with animals



11

Techniques


Role

For most roles, more respondents had experience with tunnel handling than cup handling.


However, the **technicians** as a group reported using both methods equally.

These trends were similar whether respondents had only tried them or were using them regularly (~50/50 for all roles, not shown)

Tunnel and cup handling methods split by role



Survey Question: Why did you decide to use the non-aversive techniques?







Rationale

Overall


The overwhelming majority of respondents who reported having at least tried to alternative techniques, said they did so (at least partly), because of the **animal's** welfare.

A relatively large percentage also reported using non-aversive handling due to the increased quality of science.

Other reasons included: practicality; reduced stress for the handler; as a test; or as the best technique for more aggressive mice.

Vote counts for reasons to use a non-aversive handling method











Survey of Non-Aversive Handling Methods

Rationale


Overall

Respondents' motivation based on animal welfare remained the dominant reason regardless of role and years of lab animal experience.


Quality of science tended to be more motivating for scientists than caretakers or technicians.

Internal policy was proportionally more important for animal caretakers and also those with fewer years of experience


Vote counts for reasons to use a non-aversive handling method, split by role...



and years of experience working with animals



Survey Question: How satisfied were you when using the non-aversive techniques compared to the traditional ones?







Satisfaction


Overview

Overall, respondents indicated a **high level of satisfaction** when using non-adversive handling methods (mean rating of 3.7 stars).

The 3 respondents that gave a single star rating had only used the **cup handling** technique.

Multiple **justifications** were given for these ratings in a later open comments section (see slide 19-20).

Respondents' satifaction ratings when using non-adversive approaches



Satisfaction Rating (1-5 stars)


Satisfaction

Role and Experience

Caretaker and technicians were **slighly less satis- fied** with a mean of 3.6 stars, compared to academic scientists who had a mean of 3.9 stars.

Respondents with the fewest years of experience working with animals were the least satisfied with non-aversive handling methods (mean of 3.2 stars). However, those with **2-5 years of experience were the most** (mean of 4.1 stars).

Satifaction ratings split by role...



... and years of experience



Open Comments

Limitations

Many of the open comments referred to concerns about the possible additional **time**, both in training and the daily handling of the animals.

Related to this were concerns about the added **financial** commitment that might be required, especially for purchasing tunnels.

Individual respondents also raised concerns about the **generalisability** of success, and applicability to their specific area.

Their only limitation is the time you have to do it.

young scientist | 2-5 years | tunnel handling

evident limitations: sterilization capacity, limited habituation at 2-3 weeks cage change/handling interval, potentially aversive disinfectant smell of tunnels veterinarian | 20+ years | tunnel handling

limiting for mice in research

when they have to be injected daily and restrain is needed

young scientist | 0-2 years | tunnel and cup handling

animal is more free to move and takes more time to grab it, sometimes bites the hand.

young scientist | 0-2 years | aware but not tried

more costly

experienced scientist 20+ years | cup handling

when you have a lot, it is a huge waste of time. technician | 20+ years | cup handling

Hygiene restrictions (material) experienced scientist | 20+ years I tunnel handling

may depend a lot on the strain, gender, habituation and other yet unknown factors

veterinarian | 10-20 years | aware but not tried

For the experimental side, especially with sampling at close time points, it was **not manageable**.
experienced scientist | 10-20 years | tunnel and cup handling

in breeding the transfer of pups is not possible with tunnel handling veterinarian | 10-20 years | tunnel and

Paper management | 20+ years | tunnel and cup handling

Survey of Non-Aversive Handling Methods

Open Comments

Advantages

Despite limitations, the survey indicated overwhelming support for non-aversive handling methods.

Many respondents observed reduced signs of stress and more natural behaviour. Leading to better human-mouse interactions.

Respondents remarked that **after** successful training and habituation, the non-aversive approaches were worked well for scientific goals and animal care.

improved animal welfare, better interactions between handlers and mice, reduced stress levels.

animal welfare officer | 5-10 years | tunnel handling

...make mice temperaments better, cause less stress, and result in more stable behavior during experiments.

young scientist | 10-20 years

when mice are trained it is very auick and quicker than classical tail or back skin methods veterinarian l 10-20 vears

Once learned, it is as fast and effective as tail handling. The mice seem much calmer, and exhibit more natural and investigative behaviour.

veterinarian | 10-20 years

Good for animal welfare and might reduce impact of animal stress on scientific results. young scientist | 0-2 years

less stressed in general and the **pregnant mothers** in particular animal caretaker | 10-20 years | cup handling

the tunnel that serves as enrichment animal caretaker | 0-2 years | tunnel and cup handling

humane way of treatment of the animals veterinarian | 2-5 years | tunnel handling

We have implemented nonaversive handling techniques in our lab and consider it feasible for all our **purposes** (housing and research). experienced scientist | 20+ years | tunnel and cup handling

3 R Swiss 3R Competence C Centre

3RCC Project Group:

Armand Mensen, Paulin Jirkof
Chantal Britt, Gieri Camenisch, Birgit Ledermann, and Andrina Zbinden

Supported by:

Swiss Culture of Care, 3RCC Directorate, 3RCC Executive Board

Contact us

https://swiss3rcc.org

Phone +41(0)316315622

E-Mail secretariat@swiss3rcc.org

